





GE  
Lighting

## 97586 - F13DBX23/827/ECO

GE Ecolux® Biax® T4 - Facilities; Retail Display; Hospitality; Office; Restaurant; Warehouse




### CAUTIONS & WARNINGS

#### Caution

- Lamp may shatter and cause injury if broken
  - Remove and install by grasping only plastic portion of the lamp.

### GRAPHS & CHARTS

#### Graphs\_Spectral Power Distribution



### NOTES

- Based on 60Hz reference circuit.
- Fluorescent lamp lumens decline during life

### GENERAL CHARACTERISTICS

Lamp Type	Compact Fluorescent - Plug-In
Bulb	T4
Base	GX23-2
Equivalent Wattage (NOM)	60.0 W
Rated Life (NOM)	10000.0 h
Starting Temperature (MIN)	-4.0 °C
Cathode Resistance (NOM)	10.5 Ohm
Mercury Content (NOM)	3.0 mg
Picograms of Mercury (NOM)	437.9562 pg
Additional Info	TCLP compliant
Primary Application	Facilities;Retail Display;Hospitality;Office;Restaurant;Warehouse

### PHOTOMETRIC CHARACTERISTICS

Initial Lumens (NOM)	810.0
Mean Lumens (NOM)	685.0
Nominal Initial Lumens per Watt (NOM)	62.30769
Color Temperature (NOM)	2700.0 K
Color Rendering Index (CRI) (NOM)	82.0

### ELECTRICAL CHARACTERISTICS

Wattage (NOM)	13.0
Voltage (NOM)	120.0
Open Circuit Voltage Across Starter (MIN)	198.0 V
Lamp Current (NOM)	0.285 A
Supply Current Frequency (NOM)	60.0 Hz

### DIMENSIONS

Maximum Overall Length (MOL) (NOM)	4.840 in(122.9 mm)
Nominal Length (NOM)	4.700 in(119.4 mm)
Bulb Diameter (DIA) (NOM)	0.250 in(6.4 mm)

### PRODUCT INFORMATION

Product Code	97586
Description	F13DBX23/827/ECO
Standard Package	BUNDLE
Standard Package GTIN	
Standard Package Quantity	50
Sales Unit	Unit
No Of Items Per Sales Unit	1
No Of Items Per Standard Package	50
UPC	043168975865