

TUV PL-L

TUV PL-L 18W

TUV PL-L lamps are compact UVC (germicidal) lamps used in professional water and air disinfection units. The compact size of the lamp allows for a small system design and design flexibility. TUV PL-L lamps offer almost constant UV output over their complete lifetime, for maximum security of disinfection and high system efficacy. Thanks to the single-ended lamp base, lamp replacement is easy.

Product data

• General Characteristics

System Description	-
Cap-Base	2G11
Cap-Base Information	4 Pins
Bulb	2xT16
Execution	-
Main Application	Disinfection
Useful Life	9000 hr

• Light Technical Characteristics

Color Code	TUV
Color Designation	-
(text)	

• Electrical Characteristics

Watts	18 W
Lamp Wattage Tech-	18 W
nical	
Lamp Voltage	60 V
Lamp Current	0.37 A

• UV-related Characteristics

UV-C Radiation	5.5 W
----------------	-------

Product Dimensions

Base Face to Base
Face A
Insertion Length B
Overall Length C
Diameter D
Diameter D1

• Product Data

Product number		
Full product name		
Short product name		
Pieces per Sku		
eop_pck_cfg		
Skus/Case		
Bar code on pack		
Bar code on case		
Logistics code(s)		
eop_net_weight_pp		


210641 TUV PL-L 18W/4P 1CT TUV PL-L 18W/4P 1CT/25 1 25 8711500624925 8711500624925 8711500624932 927903004007 60.900 gr

195 (max) mm 220 (max) mm 225 (max) mm

38 (max) mm 18 (max) mm




Dimensional drawing




TUV	PL-L	18W

Product	A (Max)	B (Max)	C (Max)	D (Max)	D1 (Max)
TUV PL-L 18W/4P	195	220	225	39	18



2G11

Photometric data





 $\ensuremath{\mathbb{C}}$ 2014 Koninklijke Philips N.V. (Royal Philips) All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting