



TUV PL-L

TUV PL-L 60W

TUV PL-L lamps are compact UVC (germicidal) lamps used in professional water and air disinfection units. The compact size of the lamp allows for a small system design and design flexibility. TUV PL-L lamps offer almost constant UV output over their complete lifetime, for maximum security of disinfection and high system efficacy. Thanks to the single-ended lamp base, lamp replacement is easy.

Product data

• General Characteristics

System Description	-
Cap-Base	2G11
Cap-Base Information	4 Pins
Bulb	2xT16
Execution	-
Main Application	Disinfection
Useful Life	9000 hr

• Light Technical Characteristics

Color Code	TUV
Color Designation (text)	-

• Electrical Characteristics

Watts	60 W
Lamp Wattage Technical	67 W
Lamp Voltage	84 V
Lamp Current	0.800 A

• UV-related Characteristics

UV-C Radiation	19.0 W
----------------	--------

• Product Dimensions



Base Face to Base Face A	390 (max) mm
Insertion Length B	415 (max) mm
Overall Length C	420 (max) mm
Diameter D	38 (max) mm
Diameter D1	18 (max) mm

• Product Data

Product number	130351
Full product name	TUV PL-L 60W/4P HO 1CT
Short product name	TUV PL-L 60W/4P HO 1CT/25
Pieces per Sku	1
eop_pck_cfg	25
Skus/Case	25
Bar code on pack	8711500710345
Bar code on case	8711500710352
Logistics code(s)	927909004007
eop_net_weight_pp	104.000 gr

PHILIPS

Dimensional drawing




2G11

TUV PL-L 60W

Product	A (Max)	B (Max)	C (Max)	D (Max)	D1 (Max)
TUV PL-L 60W/4P HO	390	415	420	38	18

Photometric data



© 2014 Koninklijke Philips N.V. (Royal Philips)
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2014, February 1
data subject to change