# Preheat T8

## F18T8 CW 24 1LP

Philips leads the industry with the lowest level mercury technology. Reducing the mercury level (source reduction) during the manufacturing phase is essential to creating products that are less harmful to the environment.

### Product data

#### • General Characteristics

Base	Medium Bi-Pin [Medium Bi-Pin Fluorescent]
Base Information Bulb Rated Avg. Life [3 hr Start]	Aluminum [Aluminum Base] T8 7500 hr

18 W

#### • Light Technical Characteristics

Color Code Color Rendering Index	33 62 Ra8
Color Designation	Cool White
Color Temperature	4100 K
Initial lumen	1130 Lm
Design Mean Lumens	1035 Lm

#### • Electrical Characteristics

Watts

#### • Environmental Characteristics

Mercury (Hg)	16 mg
Content	

Picogram per Lumen	2061 p/LuHr
Hour	-

#### • Product Dimensions

Nominal Length [inch]

#### • Product Data

Product number Full product name	236901 F18T8 CW 24 1LP
Short product name	F18T8 CW 24 1LP
Pieces per Sku	1
eop_pck_cfg	24
Skus/Case	24
Bar code on pack	46677236908
Bar code on case	50046677236903
Logistics code(s)	927875903301
eop_net_weight_pp	0.001 kg

24



## Dimensional drawing



G13



F18T8 CW 24 1LP



 $\ensuremath{\mathbb{C}}$  2014 Koninklijke Philips N.V. (Royal Philips) All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting