

# TUV T8

# TUV 15W T8

TUV T8 lamps are double-ended UVC (germicidal) lamps used in professional water and air disinfection units. TUV T8 lamps offer almost constant UV output over their complete lifetime, for maximum security of disinfection and high system efficacy. Moreover, they have a long and reliable lifetime, which allows maintenance to be planned for in advance.

### Product data

#### • General Characteristics

System Description	-
Cap-Base	G13
Bulb	T8 [T8]
Main Application	Disinfection
Useful Life	9000 hr

\_

#### • Light Technical Characteristics

Color Designation (text)

#### • Electrical Characteristics

Watts	15 W		
Lamp Wattage Tech-	15.9 W		
nical	54 V		
Lamp Voltage	0.34 A		
Lamp Current	0.34 A		

#### • Environmental Characteristics

Mercury (Hg) Content	2.0 mg
Content	

#### • UV-related Characteristics

UV-C Radiation 4.9 W

#### • Product Dimensions

Base Face to Base Face A Insertion Length B Overall Length C Diameter D 437.4 (max) mm

442.1 (min), 444.5 (max) mm 451.6 (max) mm 28 (max) mm

#### • Product Data

Product number			
Full product name			
Short product name			
Pieces per Sku			
eop_pck_cfg			
Skus/Case			
Bar code on pack			
Bar code on case			
Logistics code(s)			
eop_net_weight_pp			

308643 TUV 15W 1SL TUV 15W 1SL/25 1 25 8711500726179 8711500638618 928039004005 81.600 gr



## Dimensional drawing

# 


Product	A (Max)	B (Min)	B (Max)	C (Max)	D (Max)
TUV TL-D 15W	437.4	442.1	444.5	451.6	28

TUV 15W T8



G13

## Photometric data





© 2014 Koninklijke Philips N.V. (Royal Philips) All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting