


# 10293 - F25T12/WW/33

GE Warm White T12 - Appliance • Passes TCLP, which can lower disposal costs.





#### **CAUTIONS & WARNINGS**

#### Caution

- · Lamp may shatter and cause injury if broken
- Wear safety glasses and gloves when handling lamp.
- Do not use excessive force when installing lamp.

#### Warning

- Risk of Electric Shock
- Turn power off before inspection, installation or removal.

## **GRAPHS & CHARTS**

### **Graphs\_Lamp Mortality**



### **GENERAL CHARACTERISTICS**

Lamp Type

Bulb Base Rated Life (NOM) Rated Life (instant start) @ Time **Bulb Material** Starting Temperature (MIN) Mercury Content (NOM) Picograms of Mercury (NOM) Additional Info **Primary Application** 

Linear Fluorescent - Straight Linear T12 Medium Bi-Pin (G13) 7500.0 h 7500 h @ 3 h

Soda lime 10.0 °C 60.0 mg 4651.2 pg TCLP compliant Appliance;Speciality

#### **PHOTOMETRIC CHARACTERISTICS**

Initial Lumens (NOM) 1910.0 Mean Lumens (NOM) 1720.0 Nominal Initial Lumens per Watt 76.4 (NOM) Color Temperature (NOM) 3000.0 K Color Rendering Index (CRI) 52.0 (NOM)

## **ELECTRICAL CHARACTERISTICS**

Wattage (NOM)	25.0
Open Circuit Voltage	210 V @ 10 °C
(after preheating) Max @	
Temperature	
Cathode Resistance Ratio - Rh/	4.25
Rc (MIN)	
Cathode Resistance Ratio - Rh/	6.5
Rc (MAX)	
Open Circuit Voltage	108 V @ 10 °C
(after preheating) Min @	
Temperature	
Preheat Voltage (MIN)	4.25 V
Current Crest Factor (MAX)	1.7

#### DIMENSIONS

Maximum Overall Length (MOL) (NOM)	32.780 in(832.6 mm)
Minimum Overall Length (NOM)	32.670 in(829.8 mm)
Nominal Length (NOM)	33.000 in(838.2 mm)
Bulb Diameter (DIA) (MIN)	1.410 in(35.8 mm)
Bulb Diameter (DIA) (MAX)	1.590 in(40.4 mm)
Bulb Diameter (DIA) (NOM)	1.500 in(38.1 mm)
Max Base Face to Base Face	32.220 in(818.4 mm)
(A) (NOM)	
Face to End of Opposing Pin	32.400 in(823.0 mm)
(B) (MIN)	
Face to End of Opposing Pin	32.500 in(825.5 mm)
(B) (MAX)	
End of Base Pin to End of	32.670 in(829.8 mm)
Opposite Pin End (C) (NOM)	

# **PRODUCT INFORMATION**

Product Code	10293
Description	F25T12/WW/33
ANSI Code	2017-1
Standard Package	Case
Standard Package GTIN	1004316810293
Standard Package Quantity	24
Sales Unit	Unit
No Of Items Per Sales Unit	1
No Of Items Per Standard	24
Package	
UPC	043168102933

68102930