

TuffGuard Coated T8

F32T8 ADV841 ALTO/TG

When you select Philips TuffGuard™ Fluorescent lamp with ALTO® lamp technology, you are reducing the impact on the environment, while the coating helps to protect your customers, employees, and reputation. Philips TuffGuard™ fluorescent lamps meet sustainability requirements because they reduce the impact on the environment with low mercury, energy efficiency and long life. The patented green endcaps mean you're using ALTO low-mercury technology. The 16 mils thick coating on TuffGuard™ fluorescent lamps forms a protective seal from end to end and is guaranteed to last the average rated life of the lamp under specific conditions

Product data

• General Characteristics

Base Medium Bi-Pin [Medium Bi-Pin Fluorescent] Base Information Green Base Bulb TR **Energy Saving Energy Saving** Rated Avg Life [12-36000 hr Hr Prog St] 30000 hr Rated Avg Life [12-Hr Inst St] Rated Avg Life [3-Hr 30000 hr Prog St] Rated Avg Life [3-Hr 24000 hr Inst St]

• Light Technical Characteristics

Advantage 841 [CCT of 4100K] Color Code Color Rendering 85 Ra8 Index

Color Designation Advantage 841 Color Temperature 4100 K Initial lumen 3100 Lm Design Mean Lumens 3000 Lm

• Electrical Characteristics

Watts 32 W

• Environmental Characteristics

Mercury (Hg) 1.7 mg Content 24 p/LuHr Picogram per Lumen Hour

Product Dimensions

48 Nominal Length

[inch]

Footnotes

920 [Circle E- The encircled E means Footnotes Fluoresthis bulb meets Federal minimum cent/CFL efficiency standards.]

• Product Data

Product number 283390 Full product name F32T8 ADV841 ALTO/TG F32T8/ADV841 ALTO TG 30PK Short product name Pieces per Sku 30 eop_pck_cfg Skus/Case 30 Bar code on pack 46677283391 50046677283396 Bar code on case 927869784204 Logistics code(s) 0.001 kg eop_net_weight_pp




TuffGuard Coated T8

Warnings and Safety

• All HO lamps recommended for use only in open fixtures.

Dimensional drawing





F32T8 ADV841 ALTO/TG

