6/4/2014 Product Details



Product 14629

Number:

Order 75PAR30/HAL/FL40 130V

Abbreviation:

General Tungsten Halogen CAPSYLITE PAR30 Reflector Lamp Medium

**Description:** Base 75Watt 130Volt Flood Beam

\* Full Case Required

## **Product Information**

Abbrev. With Packaging Info. 75PAR30HALFL40 130V 15/CS 1/SKU

Approx. Lumens 1130 Average Rated Life (hr) 2500

Base E26 Medium

Beam Angle (deg) 40 Beam Type FLBulb PAR30 Centerbeam Candlepower (cp) 2100 Class C (gas) Color Rendering Index (CRI) 100 Color Temperature/CCT (K) 2900 Diameter (in) 3.752 Diameter (mm) 95.30 **Ecologic** YES

Family Brand Name CAPSYLITE® PAR30

Filament CC-8
Horizontal Beam Angle (deg) 40
Lamp Finish Reflector

Lamp Finish Reflector

Maximum Overall Length - MOL (in) 3.625

Maximum Overall Length - MOL (mm) 92.075

Nominal Voltage (V) 130.00

Nominal Wattage (W) 75.00

Vertical Beam Angle (deg) 40







**Footnotes** 

• State of the Art SPL Optics

6/4/2014 Product Details

- In base up operation, heat may eventually deteriorate paper-lined or plastic sockets.
- Approximate life for 130 volt tungsten halogen lamps operated at 120 volts is within the value calculated using the recommended equations for standard incandescent lamps, as set forth in the IES Handbook, 8th edition. Because of the uncertain nature of the halogen cycle on the coil when operated at less than rated voltage, life of tungsten halogen lamps varies considerably and unpredictably. OSRAM SYLVANIA does not recommend operation at other than rated voltage.
- @ 120 volts, approximate 66 watts, 860 lumens, 5000 hours