





GE  
Lighting

### 43497 - Q1000PAR64NSP

GE Quartzline® PAR64 - Narrow Spot



#### CAUTIONS & WARNINGS

##### Caution

- Lamp may shatter and cause injury if broken
  - Do not use lamp if outer glass is scratched or broken.

##### Warning

- Risk of Burn
  - Allow lamp/fixture to cool before handling.
- Risk of Electric Shock
  - Turn power off before inspection, installation or removal.
- A damaged lamp emits UV radiation which may cause eye/skin injury
  - Turn power off if glass bulb is broken. Remove and dispose of lamp.
- Risk of Fire
  - Keep combustible materials away from lamp.
  - Use in enclosed fixture rated for this product.
- Pressurized lamp--unexpected rupture may cause injury, fire, or property damage
  - Avoid direct water/liquid contact.
  - Do not exceed 110% of rated voltage.
  - Do not use lamp if outer glass is scratched or broken.
  - Use in enclosed fixture rated for this product.

#### GENERAL CHARACTERISTICS

Lamp Type	Sealed Beam - PAR
Bulb	PAR64
Base	Extended Mogul End Prong (GX16d EXT)
Filament	CC-6
Rated Life (Vert)	4000.0 h
Rated Life (NOM)	4000.0 h
Primary Application	Narrow Spot

#### PHOTOMETRIC CHARACTERISTICS

Initial Lumens (NOM)	19400.0
Beam Spread - Horizontal	31.0 - 10.0 °/15.0 - 50.0 °
Beam Spread - Vertical	8.0 - 50.0 °/14.0 - 10.0 °
Center Beam Candlepower (CBCP) (NOM)	200000.0
Color Temperature (NOM)	3000.0 K
Max. Beam Candlepower (MBCP) (MAX)	200000.0
Nominal Initial Lumens per Watt (NOM)	19.4

#### ELECTRICAL CHARACTERISTICS

Wattage (NOM)	1000.0
Voltage (NOM)	120.0

#### DIMENSIONS

Maximum Overall Length (MOL) (NOM)	6.000 in(152.4 mm)
Bulb Diameter (DIA) (NOM)	8.000 in(203.2 mm)

#### PRODUCT INFORMATION

Product Code	43497
Description	Q1000PAR64NSP
Standard Package	Case
Standard Package GTIN	10043168434970
Standard Package Quantity	6
Sales Unit	Unit
No Of Items Per Sales Unit	1
No Of Items Per Standard Package	6
UPC	043168434973