



# Reflector Flood

Reflector 65W Med 120V BR30 FL FR 1CT

Philips Family of Specialty Incandescents provide the perfect light for dramatic accents and display lighting as well as general lighting in a variety of applications. These flood lamps produce homogeneous beams of high intensity for general illumination.

## Product data

### • General Characteristics

Base	Medium [Single Contact Medium Screw]
Base Information	Aluminum [Aluminum Base]
Bulb	BR30
Bulb Finish	Frosted
Filament Shape	CC6 [Straight]
Operating Position	Universal [Any or Universal (U)]
Main Application	Indoor Reflector
Atmosphere	Gas
Life with 3h/day use [years]	1.4 an
Estimated Energy Cost/YR	9.15 \$

### • Light Technical Characteristics

Beam Description	Flood [Flood]
Beam Angle	55 D
Color Temperature	2740 K
Initial lumen	775 Lm
Initial Lumens @ 120V	585 Lm

### • Electrical Characteristics

Watts	65 W
Lamp Wattage	65 W
Rated@120V	
Voltage	120 V

### • Product Dimensions


Diameter D	3.75 in
------------	---------

### • Product Data

Product number	293803
Full product name	Reflector 65W Med 120V BR30 FL FR 1CT
Short product name	Refl 65W Med 120V BR30 FL FR 1CT
Pieces per Sku	1
eop_pck_cfg	12
Skus/Case	12
Bar code on pack	46677293802
Bar code on case	50046677293807
Logistics code(s)	925240836304
eop_net_weight_pp	0.001 kg

**PHILIPS**

## Dimensional drawing



E26

Reflector 65W Med 120V BR30 FL FR 1CT



© 2014 Koninklijke Philips N.V. (Royal Philips)  
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

[www.philips.com/lighting](http://www.philips.com/lighting)

2014, May 21  
data subject to change