






GE
Lighting

47487 - FLE15/2/A21XL/CD

GE energy smart® CFL 15 watt A21 1-pack

- 60 watt replacement uses only 15 watts
- A21 shape with medium base for use in table lamps and enclosed fixtures
- Energy Star Qualified
- Estimated yearly energy costs \$1.81 based on 3 hours per day \$0.11 per kWh
- Lasts 9.1 years based on 3 hours per day usage
- Save money and save energy with GE energy smart® CFL bulbs. GE energy smart® bulbs use 75% less energy than standard incandescents, helping you save money on energy. And, because they last 8 times longer than a standard incandescent, you'll replace these bulbs less often. Use general purpose GE energy smart® CFL bulbs in common household fixtures like table lamps, floor lamps and bare lamp sockets
- \$49 in energy savings over the life of the bulb based on 3 hours per day usage

a product of
ecomagination



GENERAL CHARACTERISTICS

Lamp Type	Compact Fluorescent - Self-Ballasted
Bulb	A21
Base	Medium Screw (E26)
Equivalent Wattage (NOM)	60.0 W
Rated Life (NOM)	10000.0 h
Life in Years (NOM)	9.1
Mercury Content (NOM)	3.5 mg
Picograms of Mercury (NOM)	424.2 pg
Primary Application	Standard;Facilities;Retail Display;Hospitality;Office;Restaurant

PHOTOMETRIC CHARACTERISTICS

Initial Lumens (NOM)	825.0 /800.0
Mean Lumens (NOM)	660.0
Nominal Initial Lumens per Watt (NOM)	55.0
Color Temperature (NOM)	2700.0 K
Color Rendering Index (CRI) (NOM)	82.0

ELECTRICAL CHARACTERISTICS

Wattage (NOM)	15.0
Input Voltage (NOM)	120.0 V
Estimated Energy Cost per Year (NOM)	1.81
Input Current (NOM)	0.22 A

DIMENSIONS

Maximum Overall Length (MOL) (NOM)	4.850 in(123.2 mm)
Nominal Length (NOM)	4.843 in(123.0 mm)

PRODUCT INFORMATION

Product Code	47487
Description	FLE15/2/A21XL/CD
Standard Package	BUNDLE
Standard Package GTIN	10043168474877
Standard Package Quantity	12
Sales Unit	Unit
No Of Items Per Sales Unit	1
No Of Items Per Standard Package	12
UPC	043168474870

CAUTIONS & WARNINGS

Warning

- Risk of Electric Shock
 - Do not open - no user serviceable parts inside.
 - Do not use where directly exposed to water or outdoors without an enclosed fixture.