




GE  
Lighting

## 23752 - F58WT8/841/CT

### GE T8 - Cold Temperature

• T8 Cold Temperature lamp. The Lamp is encased in a 60 mil thick Lexan sleeve that helps the lamp come up to operating temperature as well as providing shatter resistance.



### CAUTIONS & WARNINGS

#### Caution


- Lamp may shatter and cause injury if broken
  - Wear safety glasses and gloves when handling lamp.
  - Do not use excessive force when installing lamp.

#### Warning

- Risk of Electric Shock
  - Turn power off before inspection, installation or removal.

### GRAPHS & CHARTS

#### Graphs\_Temperature Curve



### GENERAL CHARACTERISTICS

Lamp Type	Linear Fluorescent - Straight
Bulb	Linear
Base	T8
Bulb Finish	Medium Bi-Pin (G13)
Rated Life (Vert)	White
Rated Life (NOM)	18000.0 h
Bulb Material	20000.0 h
Mercury Content (NOM)	Soda lime
Picograms of Mercury (NOM)	8.0 mg
Primary Application	99.9 pg
	Cold Temperature;Specialty

### PHOTOMETRIC CHARACTERISTICS

Initial Lumens (Vert)	5800.0
Initial Lumens (NOM)	4680.0
Mean Lumens (NOM)	4450.0
Nominal Initial Lumens per Watt (NOM)	100.0
Color Temperature (NOM)	4100.0 K
Color Rendering Index (CRI) (NOM)	85.0

### ELECTRICAL CHARACTERISTICS

Wattage (NOM)	58.0
---------------	------

### DIMENSIONS

Maximum Overall Length (MOL) (NOM)	60.000 in(1524.0 mm)
Nominal Length (NOM)	60.000 in(1524.0 mm)
Bulb Diameter (DIA) (NOM)	1.000 in(25.4 mm)

### PRODUCT INFORMATION

Product Code	23752
Description	F58WT8/841/CT
Standard Package	Case
Standard Package GTIN	10043168237526
Standard Package Quantity	24
Sales Unit	Unit
No Of Items Per Sales Unit	1
No Of Items Per Standard	24
Package	
UPC	043168237529