



GE
Lighting



17979 - 50PAR/H/FL25-6PK

GE energy-efficient halogen 50 watt PAR38 floodlight 1-pack

- GE energy-efficient halogen bulbs deliver crisp, white light. This unsurpassed light quality is ideal for adding depth, drama and interest to any outdoor space. These GE energy-efficient halogen floodlights use less energy than standard halogen bulbs, saving money on energy. GE energy-efficient halogen floodlights feature lenses designed to provide a precise beam pattern, dispensing broad beams of crisp, white light on your home's exterior and landscaping. Designed with a unique all-weather construction, they withstand harsh weather conditions better than regular bulbs. Use these bulbs in outdoor stake light and security fixtures and create a dramatic effect
- Designed with a unique all-weather construction, they withstand harsh weather conditions better than regular bulbs.

- Uses Halogen technology for a brighter, crisper light
- GE's Floodlights cast a wider beam that adds drama to driveways and yards.
- Estimated yearly energy costs \$6.02 based on 3 hours per day \$0.11 per kWh
- Lasts 1.8 years based on 3 hours per day usage
- PAR38 outdoor floodlight with medium base for use in security and wet rated fixtures

Energy Savings



GENERAL CHARACTERISTICS

| | |
|---------------------|---|
| Lamp Type | Halogen - PAR |
| Bulb | PAR38 |
| Base | Medium Skirt (E26/50x39) |
| Filament | CC-8 |
| Rated Life (NOM) | 2000.0 h |
| Primary Application | Yard Stake; Indoor and outdoor Floodlight |

PHOTOMETRIC CHARACTERISTICS

| | |
|---------------------------------------|----------|
| Initial Lumens (NOM) | 600.0 |
| Center Beam Candlepower (CBCP) (NOM) | 2200.0 |
| Color Temperature (NOM) | 2750.0 K |
| Beam Spread (NOM) | 25.0 ° |
| Nominal Initial Lumens per Watt (NOM) | 12.0 |

ELECTRICAL CHARACTERISTICS

| | |
|---------------|-------|
| Wattage (NOM) | 50.0 |
| Voltage (NOM) | 120.0 |

DIMENSIONS

| | |
|------------------------------------|--------------------|
| Maximum Overall Length (MOL) (NOM) | 5.313 in(135.0 mm) |
| Bulb Diameter (DIA) (NOM) | 4.750 in(120.6 mm) |

PRODUCT INFORMATION

| | |
|----------------------------------|------------------|
| Product Code | 17979 |
| Description | 50PAR/H/FL25-6PK |
| Standard Package | Case |
| Standard Package GTIN | 10043168179796 |
| Standard Package Quantity | 6 |
| Sales Unit | Unit |
| No Of Items Per Sales Unit | 1 |
| No Of Items Per Standard Package | 6 |
| UPC | 043168179799 |

CAUTIONS & WARNINGS

Caution

- Lamp may shatter and cause injury if broken
 - Do not use lamp if outer glass is scratched or broken.

Warning

- Risk of Burn
 - Allow lamp to cool before handling.
- Pressurized lamp--unexpected rupture may cause injury, fire, or property damage
 - Do not use lamp if outer glass is scratched or broken.
- Risk of Fire
 - Keep combustible materials away from lamp.
- Risk of Electric Shock
 - Turn power off before inspection, installation or removal.