



GE
Lighting

86256 - FLE13HT2/2/827


GE Spiral® T2



High Color Rendering
cUL Listed
Energy Savings



UL Listed



GENERAL CHARACTERISTICS

Lamp Type	Compact Fluorescent - Self-Ballasted
Bulb	T2
Base	Medium Screw (E26)
Bulb Finish	Soft white
Equivalent Wattage (NOM)	60.0 W
Rated Life (NOM)	12000.0 h
Starting Temperature (MIN)	5.0 °C
Total Harmonic Distortion (THD) (NOM)	120.0 %
Mercury Content (NOM)	5.0 mg
Picograms of Mercury (NOM)	599.5 pg
Primary Application	Standard

PHOTOMETRIC CHARACTERISTICS

Initial Lumens (NOM)	870.0
Mean Lumens (NOM)	695.0
Nominal Initial Lumens per Watt (NOM)	66.92308
Color Temperature (NOM)	2700.0 K
Color Rendering Index (CRI) (NOM)	82.0

ELECTRICAL CHARACTERISTICS

Wattage (NOM)	13.0
Input Voltage (NOM)	120.0 V
Input Current (NOM)	0.19 A
Power Factor (NOM)	0.5

DIMENSIONS

Maximum Overall Length (MOL) (NOM)	3.900 in(99.1 mm)
Nominal Length (NOM)	3.900 in(99.1 mm)

PRODUCT INFORMATION

Product Code	86256
Description	FLE13HT2/2/827
Standard Package	Case
Standard Package GTIN	10043168862568
Standard Package Quantity	10
Sales Unit	Unit
No Of Items Per Sales Unit	1
No Of Items Per Standard Package	10
UPC	043168862561

NOTES

- Best performance if operated base up and at 77 degrees F (25C) ambient temperature.
- Fluorescent lamp lumens decline during life
- Lumens on one piece self ballasted lamp systems are measured base up.
- Most one piece self ballasted lamps for incandescent sockets and plug-in lamps with screw-in adapters do not work with clip-on shades
- Use only on 120V 60 Hz circuits. Do not use on dimming circuits, photocells or timers. Do not use in wet locations.