



GE  
Lighting

## 19386 - Q150CL/MC/CD 5PK

### GE halogen 150 watt T4 1-pack

- GE's specialty bulbs offer innovative solutions for a variety of lighting needs.
- Uses Halogen technology for a brighter, crisper light
- 120 volts
- GE halogen bulbs deliver crisp, white light. This unsurpassed light quality is ideal for adding depth, drama and interest to any room or space. Use GE halogen specialty bulbs to create a dramatic effect
- Lasts 1.8 years based on 3 hours per day usage
- T4 shape with candelabra base for use in outdoor carriage and post lights



### GENERAL CHARACTERISTICS

Lamp Type	Halogen - Single-Ended
Bulb	T4
Base	Miniature Candelabra Screw (E11)
Filament	CC-8
Rated Life (NOM)	2000.0 h
Primary Application	Display Lights

### PHOTOMETRIC CHARACTERISTICS

Initial Lumens (NOM)	2800.0
Color Temperature (NOM)	2950.0 K
Nominal Initial Lumens per Watt (NOM)	18.66667

### ELECTRICAL CHARACTERISTICS


Wattage (NOM)	150.0
Voltage (NOM)	120.0

### DIMENSIONS

Maximum Overall Length (MOL) (NOM)	3.000 in(76.2 mm)
Bulb Diameter (DIA) (NOM)	0.500 in(12.7 mm)
Light Center Length (LCL) (NOM)	1.375 in(34.9 mm)

### PRODUCT INFORMATION

Product Code	19386
Description	Q150CL/MC/CD 5PK
Standard Package	BUNDLE
Standard Package GTIN	00043168193863
Standard Package Quantity	25
Sales Unit	Unit
No Of Items Per Sales Unit	1
No Of Items Per Standard Package	25
UPC	043168993821



### CAUTIONS & WARNINGS

#### Caution

- Risk of Burn
  - Allow lamp to cool before handling.
  - Turn power off before installing lamp.
- Lamp may shatter and cause injury if broken
  - Dispose of lamp in a closed container.
  - Do not use lamp if outer glass is scratched or broken.

#### Warning

- Lamp emits UV radiation which may cause eye/skin irritation.
  - Avoid exposure of eyes and skin to unshielded lamp.
- Risk of Electric Shock
  - Turn power off before inspection, installation or removal.
- Risk of Fire
  - Keep combustible materials away from lamp.
  - Use in enclosed fixture rated for this product.
- Unexpected lamp rupture may cause injury, fire, or property damage
  - Use eye protection when handling lamp.
  - Use in enclosed fixture rated for this product.
  - Do not touch glass with bare hands.
  - Do not use lamp if outer glass is scratched or broken.
  - Do not exceed 110% of rated voltage.