

# Reflector Flood

# Reflector 500W Mog 120-130V R40 FL FR 1CT

Philips Family of Specialty Incandescents provide the perfect light for dramatic accents and display lighting as well as general lighting in a variety of applications. These flood lamps produce homogeneous beams of high intensity for general illumination.

#### Product data

#### General Characteristics

Base Mogul [Mogul]
Base Information Brass [Brass Base]

Bulb R40
Bulb Material Hard Glass
Bulb Finish Frosted

Filament Shape CC11 [V-shape above glass button

(cylindriform)]

Operating Position Universal [Any or Universal (U)]

Main Application Indoor Reflector

Atmosphere Gas Circle E logo Yes

## • Light Technical Characteristics

Beam Description Flood [Flood]

### Electrical Characteristics

 Watts
 500 W

 Voltage
 120-130 V

#### • Product Dimensions

Max Overall Length (MOL) - C
Diameter D

7.25 (max) in
4.838 in

## Footnotes

Footnotes Incandescent

candes- 51 [Light output is maintained best when operated within 45 degrees

vertically of base up. (51)]

Footnotes Incandes-

cent

53 [The bulb, though made of heat resistant glass, may break if moisture falls on it. Not recommended for use in enclosed, close-fitting housings.

Footnotes Incandes-

cent

(53)]
920 [Circle E-The encircled E means this bulb meets Federal minimum efficiency standards.]

,

#### • Product Data

Product number 144345

Full product name Reflector 500W Mog 120-130V R40 FL FR 1CT

Short product name Refl 500W Mog 120-130V R40 FL FR 1CT

Pieces per Sku 1
eop\_pck\_cfg 24
Skus/Case 24
Bar code on pack 466


Bar code on case
Logistics code(s)
eop\_net\_weight\_pp

46677144340 50046677144345 920673735502 0.001 kg





# Dimensional drawing



# Reflector 500W Mog 120-130V R40 FL FR 1CT

Product	C (Max)	D (Norm)
500W E39 120-130V R40 FL	7.25	4.838



E39



Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.