



Energy Advantage IR MR16

Energy Advantage IR 35W 12V MR16 8D 1CT

Philips Energy Advantage IRC MR16 lamps make it easy to optimize the look and feel of your merchandise, and the shoppers experience, with lower operating costs.

Product data

• General Characteristics

Base	GU5.3
Bulb	MR16 [2inch/50mm]
Operating Position	Universal [Any or Universal (U)]
RatedAvgLife(See Family Notes)	5000 hr

• Light Technical Characteristics

Beam Angle	8 D
Beam Angle Technical	8 D
Approx. MBCP	13500 (max) cd
Color Rendering Index	100 Ra8
Color Temperature	3000 K
Color Temperature technical	3000 K

• Electrical Characteristics

Watts	35 W
Lamp Wattage Technical	35 W
Voltage	12 V
Lamp Current	2.92 A
Starting Time	0.0 s

• Luminaire Design Requirements

Cap-Base Temperature	380 (max) C
Bulb Temperature	250 (max) C

• Product Dimensions



Overall Length C	50.5 (max) mm
Overall Length Rim C1	50.5 (max) mm
Diameter D	51 (max) mm

• Product Data


Product number	202630
Full product name	Energy Advantage IR 35W 12V MR16 8D 1CT
Short product name	35MRC16/IRC/ALU/SP8 20PK
Pieces per Sku	1
eop_pck_cfg	4X5F
Skus/Case	20
Bar code on pack	46677202637
Bar code on intermediate pack	2005040020085
Bar code on case	50046677202632
Logistics code(s)	925633417104
tpd_ilcos_cd	HRGS-35-12-GU5.3-50/8
eop_net_weight_pp	32.000 gr

PHILIPS

Dimensional drawing



GU5.3




Energy Advantage IR 35W 12V MR16 8D 1CT

Product	C1 (Max)	D (Max)
MLES Alu 35W GU5.3 12V MR16 8D	50.5	51

Energy Advantage IR 35W 12V MR16 8D 1CT

Product	C1 (Max)	D (Max)
MLES Alu 35W GU5.3 12V MR16 8D	50.5	51

Dimensional drawing



GU5.3



© 2014 Koninklijke Philips N.V. (Royal Philips)
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2014, April 10
data subject to change